SBS BUILDING COMPONENTS
www.sbslp.com

HOUSTON PLANT
17600 Badtke Road
P.O. Box 609
Hockley, TX 77447-0609
1.866.749.2667 Toll Free
281.213.6100 Tel.
281.213.6101 Fax

BIRMINGHAM PLANT
3387 Davey Allison Blvd.
P.O. Box 3160
Hueytown, AL 35023
1.877.887.4247 Toll Free
205.744.1561 Tel.
205.744.1562 Fax

PANEL PROFILE SELECTIONS

SL12 PANEL



SL12



SL12-2

PRICE PER SQUARE								
FINISH	BASE METAL	GAUGE	WEIGHT PER SQUARE	QUANTITY IN SQUARES				
				0 – 19	20 – 49	50 – 99	100 – 299	300+
Polar White	GALVALUME®	24	132#	272.60	261.70	251.20	241.15	236.30

** See Color Chart for available colors*
*Consult SBS **Technical Manual** for proper product application, design details and other product information.*
KYNAR 500 is a registered trademark of ELF Atochem.

Clear Acrylic Coated GALVALUME® coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. Clear Acrylic Coated GALVALUME® coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, SBS recommends that pre-painted panels be used in lieu of Clear Acrylic Coated GALVALUME®. Shade variation in panels manufactured from Clear Acrylic Coated GALVALUME® coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

PANEL PRICING:

1. All panel pricing is based on net coverage.
2. For short lengths add 3.65 per panel for panels under 4'-0".
3. For gauges not listed or special color please inquire.
4. Vented panels are available..... Please inquire
5. SL12 panel is manufactured in Hockley only.

PACKAGING COST:

1. Standard Packaging: Cardboard carton with strippable film on panels.
2. Panels over 20'-0" long and LTL shipments require plywood crating, add $20.00 per square – $200.00 minimum.
3. Special packaging ..... Please inquire

NOTES:

1. Delivery
   24 gauge-White..... Approximately 5 working days
   Other gauges and colors..... Please inquire
2. Not recommended for exterior wall application.
3. Oil-canning is not cause for rejection.
4. Yield strength is 50,000 PSI on 24 gauge panels.

SBS BUILDING COMPONENTS
www.sbslp.com

HOUSTON PLANT
17600 Badtke Road
P.O. Box 609
Hockley, TX 77447-0609
1.866.749.2667 Toll Free
281.213.6100 Tel.
281.213.6101 Fax

BIRMINGHAM PLANT
3387 Davey Allison Blvd.
P.O. Box 3160
Hueytown, AL 35023
1.877.887.4247 Toll Free
205.744.1561 Tel.
205.744.1562 Fax

PANEL PROFILE SELECTIONS

SL11 PANEL



SL11 SL11-2

PRICE PER SQUARE								
FINISH	BASE METAL	GAUGE	WEIGHT PER SQUARE	QUANTITY IN SQUARES				
				0 – 19	20 – 49	50 – 99	100 – 299	300+
Kynar 500 Colors	GALVALUME®	24	123#	305.60	293.40	281.65	270.35	264.95
Clear Acrylic	GALVALUME®	24	123#	245.50	235.70	226.25	217.20	212.85

** See Color Chart for available colors*
*Consult SBS **Technical Manual** for proper product application, design details and other product information.*
KYNAR 500 is a registered trademark of ELF Atochem.

Clear Acrylic Coated GALVALUME® coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. Clear Acrylic Coated GALVALUME® coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, SBS recommends that pre-painted panels be used in lieu of Clear Acrylic Coated GALVALUME®. Shade variation in panels manufactured from Clear Acrylic Coated GALVALUME® coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

PANEL PRICING:

1. All panel pricing is based on net coverage.
2. For short lengths add 3.65 per panel for panels under 4'-0".
3. For gauges not listed or special color please inquire.
4. Vented panels are available..... Please inquire
5. SL11 panel is manufactured in Hockley only.

PACKAGING COST:

1. Standard Packaging: Cardboard carton with strippable film on panels.
2. Panels over 20'-0" long and LTL shipments require plywood crating, add $20.00 per square – $200.00 minimum.
3. Special packaging ..... Please inquire

NOTES:

1. Delivery
   24 gauge: GALVALUME® and stocked colors..... Approximately 5 working days
   Other gauges and colors..... Please inquire
2. Not recommended for exterior wall application.
3. Oil-canning is not cause for rejection.
4. Yield strength is 50,000 PSI on 24 gauge panels.