










ROLL-FORMED SECONDARY MEMBERS

| SIZE & DESCRIPTION | FINISH | GAUGE | WT./FT. | PRICE PER FOOT | | | |
|--|-----------|-------|---------|----------------|-----------|--------|-------|
| | | | | 0-500 | 501-4,999 | 5,000+ | GALV. |
|  12" x 3 ³ / ₈ " x 3 ¹ / ₈ " Unequal Flange Zee or 12" x 3 ¹ / ₂ " Cee | Red-Oxide | 14 | 4.77# | 7.70 | 7.35 | 6.95 | 8.80 |
| | Red-Oxide | 12 | 7.12# | 11.25 | 10.70 | 10.15 | 13.00 |
|  12" x 2 ³ / ₈ " x 2 ¹ / ₈ " Unequal Flange Zee or 12" x 2 ¹ / ₂ " Cee | Red-Oxide | 14 | 4.29# | 6.95 | 6.60 | 6.25 | 7.90 |
| | Red-Oxide | 12 | 6.40# | 10.10 | 9.60 | 9.10 | 11.70 |
|  10" x 3 ³ / ₈ " x 3 ¹ / ₈ " Unequal Flange Zee or 10" x 3 ¹ / ₂ " Cee | Red-Oxide | 14 | 4.29# | 6.95 | 6.60 | 6.25 | 7.90 |
| | Red-Oxide | 12 | 6.40# | 10.10 | 9.60 | 9.10 | 11.70 |
|  10" x 2 ³ / ₈ " x 2 ¹ / ₈ " Unequal Flange Zee or 10" x 2 ¹ / ₂ " Cee | Red-Oxide | 16 | 3.19# | 5.30 | 5.00 | 4.75 | 5.75 |
| | Red-Oxide | 14 | 3.81# | 6.15 | 5.85 | 5.55 | 7.05 |
| | Red-Oxide | 12 | 5.69# | 9.00 | 8.55 | 8.10 | 10.40 |





NOTE: Please see page CIP-6 for all zee and cee pricing notes and information.

ROLL-FORMED SECONDARY MEMBERS

| SIZE & DESCRIPTION | FINISH | GAUGE | WT./FT. | PRICE PER FOOT | | | |
|--|-----------|-------|---------|----------------|-----------|--------|-------|
| | | | | 0-500 | 501-4,999 | 5,000+ | GALV. |
|  <p>8" x 3³/₈" x 3¹/₈" Unequal Flange Zee or 8" x 3¹/₂" Cee</p> | Red-Oxide | 16 | 3.19# | 5.30 | 5.00 | 4.75 | 5.75 |
| | Red-Oxide | 14 | 3.81# | 6.15 | 5.85 | 5.55 | 7.05 |
| | Red-Oxide | 12 | 5.69# | 9.00 | 8.55 | 8.10 | 10.40 |
|  <p>8" x 2³/₈" x 2¹/₈" Unequal Flange Zee or 8" x 2¹/₂" Cee</p> | Red-Oxide | 16 | 2.79# | 4.60 | 4.40 | 4.15 | 5.25 |
| | Red-Oxide | 14 | 3.33# | 5.40 | 5.10 | 4.85 | 6.15 |
| | Red-Oxide | 12 | 4.98# | 7.90 | 7.50 | 7.10 | 9.15 |
|  <p>6" x 2³/₈" x 2¹/₈" Unequal Flange Zee or 6" x 2¹/₂" Cee</p> | Red-Oxide | 16 | 2.39# | 3.95 | 3.75 | 3.55 | 4.30 |
| | Red-Oxide | 14 | 2.86# | 4.60 | 4.40 | 4.15 | 5.30 |
|  <p>4" x 2³/₈" x 2¹/₈" Unequal Flange Zee or 4" x 2¹/₂" Cee</p> | Red-Oxide | 16 | 1.99# | 3.30 | 3.10 | 2.95 | 3.60 |
| | Red-Oxide | 14 | 2.38# | 3.90 | 3.70 | 3.50 | 4.40 |
|  <p>4" x 2" x 2" Equal Flange Zee or 4" x 2" Cee</p> | Red-Oxide | 16 | 1.79# | 2.95 | 2.80 | 2.65 | 3.25 |
| | Red-Oxide | 14 | 2.14# | 3.50 | 3.35 | 3.15 | 3.95 |

NOTE: Please see page CIP-6 for all zee and cee pricing notes and information.

ROLL-FORMED SECONDARY MEMBERS

| SIZE & DESCRIPTION | FINISH | GAUGE | WT./FT. | PRICE PER FOOT | | | |
|--|-----------|-------|---------|----------------|-----------|--------|-------|
| | | | | 0-500 | 501-4,999 | 5,000+ | GALV. |
|  6" x 3½" Cee Only | Red-Oxide | 16 | 2.79# | 4.60 | 4.40 | 4.15 | 5.25 |
| | Red-Oxide | 14 | 3.33# | 5.40 | 5.10 | 4.85 | 6.15 |
| | Red-Oxide | 12 | 4.98# | 7.90 | 7.50 | 7.10 | 9.15 |
|  11" x 3" Cee Only | Red-Oxide | 14 | 4.29# | 6.95 | 6.60 | 6.25 | 7.90 |
| | Red-Oxide | 12 | 6.40# | 10.10 | 9.60 | 9.10 | 11.70 |
|  4" x 3⅛" x 3⅜" Zee Only | Red-Oxide | 16 | 2.39# | 3.95 | 3.75 | 3.55 | 4.30 |
| | Red-Oxide | 14 | 2.86# | 4.60 | 4.40 | 4.15 | 5.30 |
|  5" x 2⅝" x 2⅞" Zee Only | Red-Oxide | 16 | 2.39# | 3.95 | 3.75 | 3.55 | 4.30 |
| | Red-Oxide | 14 | 2.86# | 4.60 | 4.40 | 4.15 | 5.30 |

* Actual size does not apply to cees. It refers to unequal flange zeos only. Consult SBS technical manuals for proper product application, design details and other product information.








ZEE AND CEE PRICING NOTES AND INFORMATION
PUNCHING PATTERNS

| | |
|---|-----------------------|
| Pattern A: Common Web (for Simple Span, Short Lap, Long Lap, 3' Offset and Max Lap) | \$1.00 per zee or cee |
| Pattern B: Common Web (all laps available in Pattern A plus 5' Offset and Super Lap) | \$1.20 per zee or cee |
| Pattern D: Common Flange (for Simple Span, Short Lap, Long Lap, 3' Offset and Max Lap) | \$1.20 per zee or cee |
| Pattern E: Common Flange (all laps available in Pattern D plus 5' Offset and Super Lap) | \$1.50 per zee or cee |
| Pattern G: Common End (one set of holes 1¼" from end of purlin) | \$.55 per zee or cee |
| SPECIAL PUNCHING: SP8: 8 Stops or Less | \$1.75 per zee or cee |
| SP9: 9 Stops or More | \$2.50 per zee or cee |

PRICING NOTES:

1. All common patterns have the first set of holes 1¼" from the end of the purlin.
2. Length tolerance is ±¼".
3. For pricing, round lengths up to the nearest 3" increment - Parts shorter than 5'-0" are priced as minimum 5'-0" length.

COLD-FORMED SECONDARY MEMBERS

| SIZE & DESCRIPTION | FINISH | GAUGE | WT./FT. | PRICE PER FOOT | | | |
|---|-----------|-------|---------|----------------|---------|-------|-------|
| | | | | 0-100 | 101-250 | 251+ | GALV. |
|  <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Low Side Single Slope</p> </div> <div style="text-align: center;"> <p>High Side Single Slope</p> </div> </div> <p style="text-align: center;">10" x 5" x 3³/₈" Single or Double-Sloped Eave Strut</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Low Side Double Slope</p> </div> <div style="text-align: center;"> <p>High Side Double Slope</p> </div> </div> <p style="text-align: center;">Specify Slope and type of Eave Strut</p> | Red-Oxide | 14 | 4.77# | 8.40 | 7.95 | 7.55 | 9.25 |
|  <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Low Side Single Slope</p> </div> <div style="text-align: center;"> <p>High Side Single Slope</p> </div> </div> <p style="text-align: center;">8" x 5" x 3³/₈" Single or Double-Sloped Eave Strut</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Low Side Double Slope</p> </div> <div style="text-align: center;"> <p>High Side Double Slope</p> </div> </div> <p style="text-align: center;">Specify Slope and type of Eave Strut</p> | Red-Oxide | 12 | 7.12# | 11.95 | 11.35 | 10.75 | 13.70 |
|  <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Low Side Single Slope</p> </div> <div style="text-align: center;"> <p>High Side Single Slope</p> </div> </div> <p style="text-align: center;">6" x 4" x 2¹/₂" Single or Double-Sloped Eave Strut</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Low Side Double Slope</p> </div> <div style="text-align: center;"> <p>High Side Double Slope</p> </div> </div> <p style="text-align: center;">Specify Slope and type of Eave Strut</p> | Red-Oxide | 16 | 2.79# | 5.30 | 5.00 | 4.75 | 5.55 |
|  <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Low Side Single Slope</p> </div> <div style="text-align: center;"> <p>High Side Single Slope</p> </div> </div> <p style="text-align: center;">8" x 5" x 3³/₈" Single or Double-Sloped Eave Strut</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Low Side Double Slope</p> </div> <div style="text-align: center;"> <p>High Side Double Slope</p> </div> </div> <p style="text-align: center;">Specify Slope and type of Eave Strut</p> | Red-Oxide | 14 | 3.33# | 6.05 | 5.75 | 5.45 | 6.50 |
|  <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Low Side Single Slope</p> </div> <div style="text-align: center;"> <p>High Side Single Slope</p> </div> </div> <p style="text-align: center;">6" x 4" x 2¹/₂" Single or Double-Sloped Eave Strut</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Low Side Double Slope</p> </div> <div style="text-align: center;"> <p>High Side Double Slope</p> </div> </div> <p style="text-align: center;">Specify Slope and type of Eave Strut</p> | Red-Oxide | 12 | 4.98# | 8.55 | 8.10 | 7.70 | 9.60 |
|  <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Low Side Single Slope</p> </div> <div style="text-align: center;"> <p>High Side Single Slope</p> </div> </div> <p style="text-align: center;">4" x 4" x 2¹/₂" Single or Double-Sloped Eave Strut</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Low Side Double Slope</p> </div> <div style="text-align: center;"> <p>High Side Double Slope</p> </div> </div> <p style="text-align: center;">Specify Slope and type of Eave Strut</p> | Red-Oxide | 16 | 2.39# | 4.60 | 4.40 | 4.15 | 4.50 |
|  <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Low Side Single Slope</p> </div> <div style="text-align: center;"> <p>High Side Single Slope</p> </div> </div> <p style="text-align: center;">4" x 4" x 2¹/₂" Single or Double-Sloped Eave Strut</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Low Side Double Slope</p> </div> <div style="text-align: center;"> <p>High Side Double Slope</p> </div> </div> <p style="text-align: center;">Specify Slope and type of Eave Strut</p> | Red-Oxide | 14 | 2.86# | 5.30 | 5.00 | 4.75 | 5.60 |

EAVE STRUTS PRICING NOTES AND INFORMATION:


1. The red-oxide finish on all members on this page meets or exceeds the performance characteristics of SSPC Paint No. 15, will have a 0.5 mil nominal thickness and will be produced from pre-painted coil stock.
2. Length limits on eave struts (without incurring extra charges):
 All Finishes 5'-0" to 36'-0" (unless noted otherwise)
3. For pricing, round lengths up to the nearest 3" increment - Parts shorter than 5'-0" are priced as minimum 5'-0" length.
4. Punching Charges:
 Standard Pattern (first set of holes 1 1/4" from the end of the eave strut) \$.50 per Eave Strut
 Special Punching: \$2.50 per Eave Strut
5. Refer to the Panel/Structural Technical Information section for additional punch information.

ROLL-FORMED SECONDARY MEMBERS

| DESCRIPTION | SIZE | FINISH | GAUGE | LENGTH | WT/ EACH | PRICE PER PIECE | | |
|-------------|-------|------------|-------|--------|-------------|-----------------|-------|---------|
| | | | | | | 1-5 | 6-10 | Over 10 |
| L | 2 x 2 | Red Oxide | 16 | 20'-0" | 16.00# | 27.85 | 26.45 | 25.10 |
| | 2 x 2 | Red Oxide | 16 | 25'-0" | 19.99# | 34.75 | 33.00 | 31.35 |
| | 2 x 2 | Red Oxide | 14 | 20'-0" | 19.14# | 32.50 | 30.85 | 29.30 |
| | 2 x 2 | Red Oxide | 14 | 25'-0" | 23.92# | 40.60 | 38.60 | 36.65 |
| | 2 x 2 | Galvanized | 14 | 20'-0" | 19.55# | 40.05 | 38.05 | 36.20 |
| | 2 x 2 | Galvanized | 14 | 25'-0" | 24.42# | 50.10 | 47.60 | 45.25 |
| | 2 x 4 | Red Oxide | 16 | 20'-0" | 23.99# | 41.20 | 39.10 | 37.15 |
| | 2 x 4 | Red Oxide | 16 | 25'-0" | 29.99# | 51.50 | 48.90 | 46.45 |
| | 2 x 4 | Red Oxide | 14 | 20'-0" | 28.71# | 48.75 | 46.35 | 44.00 |
| | 2 x 4 | Red Oxide | 14 | 25'-0" | 35.88# | 60.90 | 57.85 | 54.95 |
| | 2 x 4 | Galvanized | 14 | 20'-0" | 29.31# | 59.40 | 56.45 | 53.60 |
| | 2 x 4 | Galvanized | 14 | 25'-0" | 36.63# | 74.25 | 70.55 | 67.00 |
| | 3 x 3 | Red Oxide | 16 | 20'-0" | 23.99# | 41.20 | 39.10 | 37.15 |
| | 3 x 3 | Red Oxide | 16 | 25'-0" | 29.99# | 51.50 | 48.90 | 46.45 |
| | 3 x 3 | Red Oxide | 14 | 20'-0" | 28.71# | 48.75 | 46.35 | 44.00 |
| | 3 x 3 | Red Oxide | 14 | 25'-0" | 35.88# | 60.90 | 57.85 | 54.95 |
| | 3 x 3 | Galvanized | 14 | 20'-0" | 29.31# | 59.40 | 56.45 | 53.60 |
| | 3 x 3 | Galvanized | 14 | 25'-0" | 36.63# | 74.25 | 70.55 | 67.00 |

Consult the SBS Technical Manual for proper product application, design details and other product information.

ROLL-FORMED SECONDARY MEMBERS

| DESCRIPTION | SIZE | FINISH | GAUGE | LENGTH | WT/ EACH | PRICE PER PIECE | | |
|---|--------------------------------------|------------|-------|--------|-------------|-----------------|--------|---------|
| | | | | | | 1-5 | 6-10 | Over 10 |
| CHANNEL | | | | | | | | |
| 4 x 2 Channel= | 4 ¹ / ₈ " x 2 | Red Oxide | 16 | 20'-0" | 31.99# | 53.20 | 50.55 | 48.00 |
| 4 ¹ / ₈ x 2 Channel | 4 ¹ / ₈ " x 2 | Red Oxide | 16 | 25'-0" | 39.98# | 66.50 | 63.15 | 60.00 |
| Girth = 7 ¹⁵ / ₁₆ " | 4 ¹ / ₈ " x 2 | Red Oxide | 14 | 20'-0" | 38.28# | 62.05 | 58.95 | 56.00 |
| | 4 ¹ / ₈ " x 2 | Red Oxide | 14 | 25'-0" | 47.84# | 77.60 | 73.70 | 70.00 |
| 6 x 2 Channel= | 6 ¹ / ₈ " x 2 | Red Oxide | 16 | 20'-0" | 39.98# | 65.40 | 62.10 | 59.00 |
| 6 ¹ / ₈ x 2 Channel | 6 ¹ / ₈ " x 2 | Red Oxide | 16 | 25'-0" | 49.98# | 81.75 | 77.65 | 73.75 |
| Girth = 9 ¹⁵ / ₁₆ " | 6 ¹ / ₈ " x 2 | Red Oxide | 14 | 20'-0" | 47.84# | 77.60 | 73.70 | 70.00 |
| | 6 ¹ / ₈ " x 2 | Red Oxide | 14 | 25'-0" | 59.80# | 96.95 | 92.10 | 87.50 |
|  | 6 ¹ / ₈ " x 2 | Galvanized | 16 | 20'-0" | 41.34# | 78.95 | 75.00 | 71.40 |
| | 6 ¹ / ₈ " x 2 | Galvanized | 16 | 25'-0" | 51.68# | 98.65 | 93.75 | 89.25 |
| | 6 ¹ / ₈ " x 2 | Galvanized | 14 | 20'-0" | 48.84# | 97.45 | 92.60 | 88.00 |
| | 6 ¹ / ₈ " x 2 | Galvanized | 14 | 25'-0" | 61.05# | 121.85 | 115.75 | 110.00 |
| 8 x 2 Channel= | 8 ¹ / ₈ " x 2 | Red Oxide | 16 | 20'-0" | 47.98# | 78.70 | 74.75 | 71.00 |
| 8 ¹ / ₈ x 2 Channel | 8 ¹ / ₈ " x 2 | Red Oxide | 16 | 25'-0" | 59.97# | 98.35 | 93.45 | 88.75 |
| Girth = 11 ¹⁵ / ₁₆ " | 8 ¹ / ₈ " x 2 | Red Oxide | 14 | 20'-0" | 57.41# | 92.00 | 87.40 | 83.00 |
| | 8 ¹ / ₈ " x 2 | Red Oxide | 14 | 25'-0" | 71.77# | 114.95 | 109.25 | 103.75 |
| | 8 ¹ / ₈ " x 2 | Galvanized | 16 | 20'-0" | 49.61# | 94.60 | 89.90 | 85.40 |
| | 8 ¹ / ₈ " x 2 | Galvanized | 16 | 25'-0" | 62.01# | 118.50 | 112.55 | 106.75 |
| | 8 ¹ / ₈ " x 2 | Galvanized | 14 | 20'-0" | 58.61# | 117.35 | 111.50 | 106.00 |
| | 8 ¹ / ₈ " x 2 | Galvanized | 14 | 25'-0" | 73.26# | 146.70 | 139.35 | 132.50 |
| 10 x 2 Channel= | 10 ¹ / ₈ " x 2 | Red Oxide | 16 | 20'-0" | 55.97# | 92.00 | 87.40 | 83.00 |
| 10 ¹ / ₈ x 2 Channel | 10 ¹ / ₈ " x 2 | Red Oxide | 16 | 25'-0" | 69.97# | 114.95 | 109.25 | 103.75 |
| Girth = 13 ¹⁵ / ₁₆ " | 10 ¹ / ₈ " x 2 | Red Oxide | 14 | 20'-0" | 66.98# | 107.50 | 102.10 | 97.00 |
| | 10 ¹ / ₈ " x 2 | Red Oxide | 14 | 25'-0" | 83.72# | 134.35 | 127.65 | 121.25 |
| | 10 ¹ / ₈ " x 2 | Red Oxide | 12 | 20'-0" | 99.96# | 157.35 | 149.50 | 142.00 |
| | 10 ¹ / ₈ " x 2 | Red Oxide | 12 | 25'-0" | 124.95# | 196.70 | 186.85 | 177.50 |
| | 10 ¹ / ₈ " x 2 | Galvanized | 16 | 20'-0" | 57.88# | 110.55 | 105.05 | 99.80 |
| | 10 ¹ / ₈ " x 2 | Galvanized | 16 | 25'-0" | 72.35# | 138.20 | 131.30 | 124.75 |
| | 10 ¹ / ₈ " x 2 | Galvanized | 14 | 20'-0" | 68.38# | 136.40 | 129.60 | 123.20 |
| | 10 ¹ / ₈ " x 2 | Galvanized | 14 | 25'-0" | 85.48# | 170.50 | 161.95 | 154.00 |
| | 10 ¹ / ₈ " x 2 | Galvanized | 12 | 20'-0" | 101.67# | 201.80 | 191.70 | 182.20 |
| | 10 ¹ / ₈ " x 2 | Galvanized | 12 | 25'-0" | 127.09# | 252.25 | 239.65 | 227.75 |

CUSTOM STRUCTURAL SHAPES

| STRIP WIDTH | | | | | | |
|------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|------------------------------------|
| MATERIAL | 3 ¹⁵ / ₁₆ " | 5 ¹⁵ / ₁₆ " | 7 ¹⁵ / ₁₆ " | 8 ¹⁵ / ₁₆ " | 9 ¹⁵ / ₁₆ " | 11 ¹⁵ / ₁₆ " |
| 16 Ga. Red-Oxide | 1.30 | 1.90 | 2.55 | 2.80 | 3.15 | 3.75 |
| 14 Ga. Red-Oxide | 1.50 | 2.20 | 2.95 | 3.35 | 3.70 | 4.40 |

| STRIP WIDTH | | | | |
|------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| MATERIAL | 13 ¹⁵ / ₁₆ " | 15 ¹⁵ / ₁₆ " | 17 ¹⁵ / ₁₆ " | 19 ¹⁵ / ₁₆ " |
| 16 Ga. Red-Oxide | 4.40 | 5.00 | N/A | N/A |
| 14 Ga. Red-Oxide | 5.15 | 5.85 | 6.60 | 7.35 |
| 12 Ga. Red-Oxide | 7.50 | 8.55 | 9.60 | 10.70 |

| STRIP WIDTH | | | | | |
|-------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|------------------------------------|
| MATERIAL | 3 ¹⁵ / ₁₆ " | 5 ¹⁵ / ₁₆ " | 8 ¹⁵ / ₁₆ " | 9 ¹⁵ / ₁₆ " | 11 ¹⁵ / ₁₆ " |
| 16 Ga. Galvanized | N/A | N/A | 3.40 | 3.75 | 4.50 |
| 14 Ga. Galvanized | 1.85 | 2.80 | 4.15 | 4.65 | 5.60 |

| STRIP WIDTH | | | | |
|-------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| MATERIAL | 13 ¹⁵ / ₁₆ " | 15 ¹⁵ / ₁₆ " | 17 ¹⁵ / ₁₆ " | 19 ¹⁵ / ₁₆ " |
| 16 Ga. Galvanized | 5.30 | 6.05 | N/A | N/A |
| 14 Ga. Galvanized | 6.50 | 7.40 | 8.30 | 9.25 |
| 12 Ga. Galvanized | 9.60 | 10.95 | 12.30 | 13.70 |






PRICE YOUR OWN CUSTOM STRUCTURAL SHAPES:

1. Select the strip width of material to be used.
2. Prices in chart above are per Lineal Foot.
3. Add \$0.16 for each break.
4. Pricing includes banding material for shipment.






NOTES:

1. Maximum closed angle is 45 degrees.
2. Hems cannot be fabricated.
3. Slight metal fracturing may occur at bend lines.
4. Minimum break dimension is 1¹/₈".
5. Maximum part length will vary depending on shape desired.










LIGHT GAUGE FRAMING

| HAT SECTION | PART NO. | LENGTH | GAUGE | FINISH | WT./EA. | PRICE PER EACH |
|---|----------|--------|-------|------------|---------|----------------|
|  | HS-106 | 20'-0" | 16 | Galvanized | 25.80# | 63.95 |
| | HS-107 | 20'-0" | 18 | Galvanized | 21.20# | 51.50 |
| CHANNEL SECTION | PART NO. | LENGTH | GAUGE | FINISH | WT./EA. | PRICE PER EACH |
|  | CS-101 | 20'-0" | 18 | Galvanized | 15.60# | 40.50 |
| 1 1/4" SUB-GIRT | PART NO. | LENGTH | GAUGE | FINISH | WT./EA. | PRICE PER EACH |
|  | SG-104 | 20'-0" | 18 | Galvanized | 23.10# | 58.25 |
| 7/8" SUB-GIRT | PART NO. | LENGTH | GAUGE | FINISH | WT./EA. | PRICE PER EACH |
|  | SG-103 | 20'-0" | 18 | Galvanized | 18.60# | 46.75 |
| 1/2" SUB-GIRT | PART NO. | LENGTH | GAUGE | FINISH | WT./EA. | PRICE PER EACH |
|  | SG-102 | 20'-0" | 18 | Galvanized | 12.32# | 18.45 |

CONNECTION CLIPS

| PURLIN & GIRT CLIP (8" BY-PASS) | PART NO. | MAT'L THICKNESS | WT./EA. | PRICE EACH |
|---|----------|------------------|---------|------------|
| | | | | BLACK |
|  | CL-1 | $\frac{3}{16}$ " | 2.25# | 4.75 |
| GIRT TO JAMB CLIP | PART NO. | MAT'L THICKNESS | WT./EA. | PRICE EACH |
| | | | | RED OXIDE |
|  | CL-45 | 10 Gauge | 2.15# | 7.90 |
| JAMB TO EAVE STRUT CLIP (8" JAMBS) | PART NO. | MAT'L THICKNESS | WT./EA. | PRICE EACH |
| | | | | RED OXIDE |
|  | CL-46 | 10 Gauge | 1.65# | 7.25 |
| JAMB BASE CLIP (8") | PART NO. | MAT'L THICKNESS | WT./EA. | PRICE EACH |
| | | | | RED OXIDE |
|  | CL-47 | 10 Gauge | 1.45# | 6.75 |
| HEADER TO JAMB CLIP (8") | PART NO. | MAT'L THICKNESS | WT./EA. | PRICE EACH |
| | | | | RED OXIDE |
|  | CL-48 | 10 Gauge | 1.45# | 6.75 |

CONNECTION CLIPS

| | PART NO. | MAT'L THICKNESS | WT./EA. | PRICE EACH |
|---|-----------|-----------------|---------|------------|
| | RED OXIDE | | | |
| <p style="text-align: center;">LIGHT GAUGE ANGLE CLIP</p>    <p>No Holes Use for 4" zee or cee attachment. Requires #14 x 1 1/4" Tek/2 S.D. fasteners.</p> | LGC-5 | 14 Gauge | 0.6# | 1.50 |
| <p style="text-align: center;">LIGHT GAUGE ANGLE CLIP</p>    <p>No Holes Use for 6" zee or cee attachment. Requires #14 x 1 1/4" Tek/2 S.D. fasteners.</p> | LGC-6 | 14 Gauge | 0.8# | 1.75 |
| <p style="text-align: center;">LIGHT GAUGE ANGLE CLIP</p>    <p>No Holes Use for 8" zee or cee attachment. Requires #14 x 1 1/4" Tek/2 S.D. fasteners.</p> | LGC-7 | 14 Gauge | 1.1# | 2.00 |